

# Product introduction

<b>Specifications/Features:</b>	
Model	E20
Motor power	650W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	12 tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	15 inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	1530*890*1620mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors, logos, car sheds, rain curtains, etc</b>

Our reps are waiting for your calls get quotes and shipping information.

072 980 5201



# Product introduction

<b>Specifications/Features:</b>	
Model	E40
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15 tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	12 inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	300kg
Vehicle size:	1600*750*1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	E6
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15 /18tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14 inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	1930*850*1650mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	E50
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	1640*720*1550mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	E900
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	18 tube controller
Charging time	7-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	16 inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	300kg
Vehicle size:	2150*960*1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	E60
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15/18tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	12inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	2200*960*1640mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	E600
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15/18tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Steering wheel operated handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	16inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	120kg
Max Load(kg):	200kg
Vehicle size:	1650*950*1630mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	<b>E630</b>
Motor power	1200W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	18tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Steering wheel operated handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	100/90-8inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	400kg
Vehicle size:	2100*1060*1710mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>





# Product introduction

<b>Specifications/Features:</b>	
Model	X2
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15/18tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	200kg
Vehicle size:	1800*860*1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	X3
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	18tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14.5inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	300kg
Vehicle size:	1940×910×1620mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors, logos, etc</b>



# Product introduction

Specifications/Features:	
Model	A10
Motor power	800W/650W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15/18tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional circular operation handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	15inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	2170*870*1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、logos、etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	X6
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	300kg
Vehicle size:	2100*850*1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

## Specifications/Features:

Model	H30
Motor power	National standard vehicle
Battery Capacity	lead acid or lithium
Controller	12tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	300-10
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	2200x820x1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	H40
Motor power	National standard vehicle
Battery Capacity	lead acid or lithium
Controller	12tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	300-8
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	1680x790x1550mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、 logos、 etc



# Product introduction

<b>Specifications/Features:</b>	
Model	S5
Motor power	National standard vehicle
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	300-10
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	300kg
Vehicle size:	1900x880x1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	S6
Motor power	1200W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	24tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	17inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	120kg
Vehicle size:	1810×790×1700mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、 logos、 etc





# Product introduction

<b>Specifications/Features:</b>	
Model	M1
Motor power	600W electromagnetic motor
Battery Capacity	lead acid or lithium
Controller	12tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Electromagnetic brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	12.5inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	100kg
Vehicle size:	1550×720×1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	M2
Motor power	650W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	120kg
Max Load(kg):	200kg
Vehicle size:	1600×730×1080mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、logos、etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	M3
Motor power	650W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	1680*760*1630mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	M5
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	18tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	100/90-8inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	300kg
Vehicle size:	2100*960*1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	M6
Motor power	1500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	24tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Steering wheel
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	17inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	400kg
Vehicle size:	2400*950*1750mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、logos、etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	M7
Motor power	1500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	24tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Steering wheel
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	17inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	400kg
Vehicle size:	2630*1090*1700mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、logos、etc



# Product introduction

<b>Specifications/Features:</b>	
Model	E900 three row
Motor power	650W/800W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	18 tube controller
Charging time	7-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Intelligent circular handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	16 inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	450kg
Vehicle size:	2150*960*1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	M6 three row
Motor power	1500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	24tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Steering wheel
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	17inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	450kg
Vehicle size:	2850*950*1750mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors, logos, etc</b>





# Product introduction

<b>Specifications/Features:</b>	
<b>Model</b>	<b>F1</b>
Motor power	600W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	12tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional circular operation handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	15inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	250kg
Vehicle size:	1580*800*1070mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	A9
Motor power	500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	16inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	300kg
Vehicle size:	2100*700*1100mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	Xiao Dou
Motor power	500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	16inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	180kg
Max Load(kg):	300kg
Vehicle size:	2100*700*1000mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、 logos、 car sheds、 rain curtains、 etc



# Product introduction

<b>Specifications/Features:</b>	
Model	C6
Motor power	500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	300kg
Vehicle size:	2060*820*1000mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	Q1
Motor power	500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	200kg
Vehicle size:	1680×700×1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	Q3
Motor power	500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	200kg
Vehicle size:	1640×700×1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、 logos、 car sheds、 rain curtains、 etc



# Product introduction

<b>Specifications/Features:</b>	
Model	Q5
Motor power	500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	250kg
Vehicle size:	2000×870×1600mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	<b>D11</b>
Motor power	500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	16inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	150kg
Max Load(kg):	300kg
Vehicle size:	2170×750×1130mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>





# Product introduction

Specifications/Features:	
Model	A1
Motor power	600W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	12tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional circular operation handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	15inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	250kg
Vehicle size:	1550*760*1000mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	C18
Motor power	600W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	12tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	280kg
Vehicle size:	2150*900*1100mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、logos、 car sheds、 rain curtains、 etc



# Product introduction

<b>Specifications/Features:</b>	
Model	M70XIAODOU
Motor power	500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake, foot brake, parking brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	14inch vacuum tire
One charge distance	according to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	200kg
Vehicle size:	2060*820*1000mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、 logos、 car sheds、 rain curtains、 etc



# Product introduction

<b>Specifications/Features:</b>	
Model	Q10
Motor power	Single drive 350W or optional dual drive 500W
Battery Capacity	lead acid or lithium
Controller	6tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake
instrument	Multifunctional handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	Front wheel 2.8/2.5-4 inches Rear wheel 10 * 2.5 inches
One charge distance	according to battery type
Max speed(km/h)	15KM/h
Net Weight(kg)	45kg
Max Load(kg):	200kg
Vehicle size:	970*550*810mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	<b>Q30</b>
Motor power	Single drive 350W or optional dual drive 500W
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake, foot brake
instrument	Multifunctional handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	Front wheel 2.8/2.5-4 inches Rear wheel 10 * 2.5 inches
One charge distance	according to battery type
Max speed(km/h)	15KM/h
Net Weight(kg)	45kg
Max Load(kg):	200kg
Vehicle size:	1200×560×810mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 car sheds、 rain curtains、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	Q50
Motor power	Single drive 350W or optional dual drive 500W
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake
instrument	Multifunctional handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	Front wheel 2.8/2.5-4 inches Rear wheel 10 * 2.5 inches
One charge distance	accoriding to battery type
Max speed(km/h)	15KM/h
Net Weight(kg)	45kg
Max Load(kg):	200kg
Vehicle size:	1070×620×870mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、logos、 car sheds、 rain curtains、 etc



# Product introduction

<b>Specifications/Features:</b>	
Model	Q60
Motor power	Single drive 350W or optional dual drive 500W
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Variable and adjustable seats
Braking method	Hand brake
instrument	Multifunctional handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	Front wheel 2.8/2.5-4 inches Rear wheel 10 * 2.5 inches
One charge distance	accoriding to battery type
Max speed(km/h)	15KM/h
Net Weight(kg)	45kg
Max Load(kg):	200kg
Vehicle size:	1070×620×870mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、 logos、 car sheds、 rain curtains、 etc



# Product introduction

<b>Specifications/Features:</b>	
Model	Q70
Motor power	Single drive 350W or optional dual drive 500W
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Electromagnetic brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	9inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	50kg
Max Load(kg):	150kg
Vehicle size:	1180×630×950mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、 logos、 etc





# Product introduction

<b>Specifications/Features:</b>	
Model	<b>C5</b>
Motor power	Single drive 350W or optional dual drive 500W
Battery Capacity	lead acid or lithium
Controller	15tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake/Electronic brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	10inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	200kg
Vehicle size:	1350×720×1000mm
<b>PRICE</b>	
<b>OPTIONAL</b>	<b>Colors、 logos、 etc</b>



# Product introduction

<b>Specifications/Features:</b>	
Model	C6
Motor power	350W/500W differential anti rollover motor
Battery Capacity	lead acid or lithium
Controller	6tube controller
Charging time	6-8 hours
rearview mirror	One exterior rearview mirror on each side
seat	Automotive grade leather comfortable seats
Braking method	Hand brake/Electronic brake
instrument	Multi functional operation of handlebars
Lights and signals	Front and rear headlights, turn signals, horns
Power transmission system	automatic
Front/rear tires	10inch vacuum tire
One charge distance	accoriding to battery type
Max speed(km/h)	20KM/h
Net Weight(kg)	100kg
Max Load(kg):	200kg
Vehicle size:	1070x620x870mm
<b>PRICE</b>	
<b>OPTIONAL</b>	Colors、 logos、 etc

