

Electric tricycle

Dudu



Dimensions _{mm}	2700 × 1250 × 1780		
Motor	DC motors	Max speed	≤ 30
Battery	60V100AH lead-acid	Range	≥ 80
Controller	15 power transistor	Tire	3.75-12

Cook



Dimensions _{mm}	2700 × 1400 × 1800		
Motor	DC motors	Max speed	≤ 50
Battery	60V100AH lead-acid	Range	≥ 80
Controller	15 power transistor	Tire	3.75-12

Simple Dudu



Dimensions _{mm}	2780 × 9950 × 1780		
Motor	1000W motor	Max speed	≤ 25
Battery	60V32AH/60V45AH	Range	≥ 45
Controller	24 power transistor	Tire	375-12

X3



Dimensions _{mm}	1550x760x1000		
Motor	600W motor	Max speed	≤ 22
Battery	48V20AH/60V20AH	Range	≥ 55
Controller	12 power transistor	Tire	300/8

C18



Dimensions _{mm}	2150x900x1100		
Motor	600W motor	Max speed	≤ 22
Battery	60V32AH/60V37AH	Range	≥ 55
Controller	12 power transistor	Tire	300/8

D11



Dimensions _{mm}	2320x1090x850		
Motor	600W motor	Max speed	≤ 22
Battery	48V20AH/60V20AH	Range	≥ 55
Controller	12 power transistor	Tire	300/10

Q5



Dimensions _{mm}	2100x870x1600		
Motor	650W motor	Max speed	≤ 19
Battery	60V20AH/60V37AH	Range	≥ 55
Controller	15 power transistor	Tire	36CM

Q1



Dimensions _{mm}	1640x700x1600		
Motor	650W motor	Max speed	≤ 19
Battery	48V20AH/60V20AH	Range	≥ 55
Controller	15 power transistor	Tire	300/8

Q3



Dimensions _{mm}	1640x700x1600		
Motor	650W motor	Max speed	≤ 19
Battery	48V20AH/60V20AH	Range	≥ 55
Controller	15 power transistor	Tire	300/8

S5



Dimensions _{mm}	1900 × 880 × 1600		
Motor	800W motor	Max speed	≤ 20
Battery	60V20AH/60V35AH	Range	≥ 35
Controller	12 power transistor	Tire	300-10

S6



Dimensions _{mm}	1600 × 780 × 1600		
Motor	1200W motor	Max speed	≤ 20
Battery	72V96AH锂电	Range	≥ 35
Controller	Dual 800W Lingbo Controller	Tire	350-10

H40



Dimensions _{mm}	1680 × 790 × 1550		
Motor	800W motor	Max speed	≤ 20
Battery	60V20AH	Range	≥ 35
Controller	12 power transistor	Tire	300-8